

HaoSail

HaoSail

Consistent. Dynamic. Reliable.



SINGAPORE LH MACHINERY PTE LTD

5 Kian Teck Drive
Singapore 628822
Tel: (65) 6265 6010
Fax: (65) 6264 3214
Email: machinery@lamhongs.com.sg
www.lamhongs.com.sg

南方機械私人有限公司

DUBAI HAOSAIL GENERAL TRADING CO., L.L.C.

Address: P. O. BOX 25343, Dubai, UAE
Mobile: +971 55 4556817
Email: abdullah@haosail.com
www.haosailmechanical.com

MAPUTO HAOSAIL MACHINERY COMPANY, LDA

Address: AV. De Mozambique no. 61272 R/C, Zimpeto, Maputo.
Mobile: +258 84 069 6699
Email: sales-mz@haosail.com
www.haosailmachinery.com

2021

CATALOGUE

FOCUS ON GENERAL MACHINERY



Painting Booth Specification



Model	
Temperature	50-60°C
Inner Dimension	6900 × 3900 × 2600mm (L × W × H)
Overall Dimension	7050 × 5200 × 3200mm (L × W × H)
Front Door	three doors, 2800 × 2500mm (W × H), Aluminum alloy edging
Working Door	650 × 1800mm (W × H)
Platform	300mm, All-terrain grille
Wall panel	Thickness 50mm, Width 950mm, Color steel plate thickness 0.3m, Filler: EPS
Lighting	Inclined ceiling light 8 sets × 3pcs=24pcs 36W
Cabinet device	Measuring the in-wind, Square tube frame, Spray mask
Exhaust system	Centrifugal blower 2 sets, power 3KW, Air Flow volume: 20000m³/h
Heating system	24sets × 800W Luxury Infrared heating tube
Filtering system	Inlet filter cotton is high quality cotton with effective filtering dust above 10 mm, high effective filter cotton on the top is 600G, which can filter dust above 5 mm
Code	4.10.01.03.001



CONSTRUCTION EQUIPMENT



Plate Compactor



Model	CNP-90	90T Loncin G200F	Electric 160
Engine Type	Loncin Petrol 6.5HP	Loncin Petrol 6.5HP	380V 3KW
Frequency	4200bpm	3500-5500bpm	3500-5500bpm
Centrifugal Force	15kN	15-20kN	15-20kN
Plate Size	550x440mm	550x480mm	500x420mm
Walking Mode	Forward	Forward	Forward
Package Size	700x470x690mm/1Pcs	820x520x600mm / 1Pcs	820x520x600mm / 1Pcs
N.W/G.W	88kg/91kg	78kg/80kg	105kg/110kg
Code	4.03.01.03.002	4.03.01.03.005	4.03.01.03.006

Tamping Rammer



■ Forging gears Forging link

Model	HCR110	HCR110F	
Engine Type	LF168-2 gasoline 4.8KW (6.5HP)	Petrol gas 6.5HP	Disel 4.2HP
Max. Impact Force	10kN		
Impact Frequency	450-650bpm		
Max. Jumping Stroke	65mm		
Fuel Tank	2.8L		
Plate Size	300x280mm		
Package Size	500x450x1000mm		
N.W	77kg/87kg		
Code	4.03.01.02.005	4.03.01.02.006	4.03.01.02.007

Concrete Vibrator



Model	CNVR		CNDV	
Engine Type	Petrol 6.5HP	Diesel 5.3HP		
Motor Type			380V50Hz2.2KW	230V50Hz1.5KW
Vibrating Head Diameter	50mm		50mm	
Coupling Type	Japan		Japan	
Poker Length	6m		6m	
Package Size	520x440x440mm / 1Pcs; 850x670x65mm/Coupling		520x440x440mm / 1Pcs; 850x670x65mm/Coupling	
N.W/G.W	21kg/22.5kg(Machine)		15kg/16kg(Machine)	
N.W/G.W	19.5kg/21kg(Coupling)		19.5kg/21kg(Coupling)	
Code	4.03.03.03.001	4.03.03.03.002	4.03.03.03.003	4.03.03.03.004

Concrete Mixer



■ 2 wheels

Model	FA260L	FA350L	FA500L	FA500L
Engine Type	Air-cooled/ Diesel/4HP	Air-cooled/ Diesel/6HP	Water-cooled/ Diesel/7.7HP	/
Power	/	/	/	380V 50Hz 3kW
Feed Capacity	260L	350L	500L	
Drum Rotation Speed	18RPM	20RPM	17RPM	
Productivity	6-10m³/h	10-14m³/h	16-20m³/h	
Drum Mouth	450mm	516mm	566mm	
Drum Diameter	700mm	800mm	900mm	
Drum Height	687mm	766mm	920mm	
N.W/G.W	200kg/213kg	251kg/263kg	346kg/358kg	330kg/342kg
Code	4.03.03.01.002	4.03.03.01.003	4.03.03.01.004	4.03.03.01.005



Model	JZM800	JZM400
Power	380V 50Hz 4kW	380V 50Hz 4kW
Feed Capacity	6m³/h	5m³/h
Drum Diameter	1.1m	1.1m
Length of Drum	1.6m	1.4m
Drum Thickness	2.8mm	1.4mm
Drum Rotation Speed	30rpm	30rpm
Base Size	1050 × 1190 × 1200mm/1Pcs	1050 × 1190 × 1200mm/1Pcs
Drum	1100 × 1100 × 1600mm/1Pcs	1100 × 1100 × 1600mm/1Pcs
N.W	350kg/1Pcs	300kg/1Pcs
	8 wheels	4 wheels
Code	4.03.03.01.009	4.03.03.01.010



Model	JZC350	JZC500
Power	380V 50Hz 5.5kW+5.5kW+0.55kW	380V 50Hz 5.5kW+5.5kW+0.55kW
Feed Capacity	12m³/h	16m³/h
Drum Diameter	1.5m	1.8m
Drum Thickness	3.5mm	3.5mm
Drum Rotation Speed	14rpm	13rpm
Packing Size	2400 × 1500 × 2200mm/1Pcs	3000 × 1850 × 2400mm/1Pcs
N.W	800kg/1Pcs	1250kg/1Pcs
Code	4.03.03.01.011	4.03.03.01.012

Mortar Mixer



■ 2 wheels

Model	FE260
Engine Type	Air-cooled/ Diesel/ 9HP
Feed Capacity	255L
Package Size	1800x1200x2600mm / 2Pcs
N.W/G.W	310kg/320kg / 1Pcs
Code	4.03.03.02.001

Vibratory Roller



Model	FYL-S600C
Engine Type	Air-cooled/ Diesel/ 6HP
Starting Mode	Manual / Electric
Travel Speed	0-4km/h
Drive Type	Hydraulic Drive
Vibration Type	Mechanical
Centrifugal Force	20kN
Vibration Frequency	70Hz
Water Tank Capacity	20L
Drum Size	φ425X600mmX2
Gradeability	30°
Package Size	1360x850x1300mm / 1Pcs
Working Weight	550kg
Code	4.03.01.01.001



Model	FYL-S600CS
Engine Type	Water-cooled/ Diesel/ 5.67kW
Starting Mode	Manual / Electric
Travel Speed	0-4km/h
Drive Type	Hydraulic Drive
Vibration Type	Mechanical
Centrifugal Force	20kN
Vibration Frequency	70Hz
Water Tank Capacity	20L
Drum Size	φ425X600mmX2
Gradeability	30°
Package Size	1360x850x1300mm / 1Pcs
Working Weight	600kg
Code	4.03.01.01.003

Vibratory Roller



Model	FYL-860
Engine Type	Water-cooled/Diesel/6HP/13HP
Starting Mode	Manual / Electric
Travel Speed	0-5km/h
Drive Type	Hydraulic Drive
Vibration Type	Electromagnetic Clutch
Centrifugal Force	25kN
Vibration Frequency	70Hz
Water Tank Capacity	60L
Drum Size	φ540x740mm, φ425x675 mm
Gradeability	30°
Package Size	2100x1650x1300mm
Working Weight	800kg
Code	4.03.01.01.004



Model	FYL-880
Engine Type	Water-cooled/Diesel/9HP/ 13HP
Starting Mode	Manual / Electric
Travel Speed	0-5km/h
Drive Type	Hydraulic Drive
Vibration Type	Electromagnetic Clutch
Centrifugal Force	25kN
Vibration Frequency	70Hz
Water Tank Capacity	60L
Drum Size	φ540x740mm, φ540x800mm
Gradeability	30°
Package Size	2100x1650x1300mm
Working Weight	1000kg
Code	4.03.01.01.005

Brick Making Machine



■ With Optional Mold

Model	QMT4-40
Engine Type	Water-cooled/ Diesel/ 5.67kW
Molding Time	40s
Package Size	1270x1670x1440mm / 1Pcs
N.W/G.W	620kg/665kg
Code	4.03.07.01.001

Concrete Cutter



■ Handle Rotation ■ Manual push ■ Steel Water Tank

Model	F500-2
Engine Type	Diesel 186F 9HP
Max Cutting Depth	180mm
Blade Size	400~500mm
Water Tank Capacity	45L
Package Size	950x520x1000mm
N.W/G.W	175kg/180kg
Code	4.03.02.01.004



■ Handle Rotation ■ Manual push ■ Plastic Water Tank

Model	F500-3
Engine Type	Diesel 186F 9HP
Max Cutting Depth	180mm
Blade Size	400~500mm
Water Tank Capacity	37L
Package Size	910x500x1000mm
N.W/G.W	175kg/180kg
Code	4.03.02.01.005

Power Trowel



Model	PT100
Engine Type	Loncin Petrol 5.5HP
Rotor Diameter	91cm
Guard Diameter	100cm
Number of Blades	4
Finish Blades	35x15cm
Package Size	1020x1020x770mm
Code	4.03.05.01.004



Model	80	100
Engine Type	Honda GX690 23HP	Loncin LC2V80FD 25HP
Rotor Diameter	192mm	
Number of Blades	8	
Finish Blades	35x15mm	
Millstone Size	φ97cm	
Weight	358kg	
Package Size	2220x1140x1120mm	
Code	4.03.05.01.002	4.03.05.01.003

Steel Bar Stirrup Bender



■ Auto with foot pedal

Model	GF22	GF28	GF40
Motor Power	380V 50Hz 2.2kW	380V 50Hz 3kW	380V 50Hz 4kW
Rotation Speed of Motor	1440r/min		
Plain Carbon Steel	≤ Φ22mm	≤ Φ28mm	≤ Φ40mm
II-grade Deformed Steel Bar	≤ Φ20mm	≤ Φ25mm	≤ Φ32mm
Working Rotation Speed of Bending	20~30 r/min	25~28r/min	3~15 r/min
Max Bending Angle	180°		
Package Size	900x600x1140mm	900 × 700 × 950mm	900x900x1150mm
N.W/G.W	120kg/140kg	175kg/190kg	300kg/3250kg
Code	4.03.04.02.001	4.03.04.02.003	4.03.04.02.005

Steel Bar Bender



■ Auto with foot pedal

Model	GW40B	GW45B	GW50B
Motor Power	380V 50Hz 3kW	380V 50Hz 4kW	380V 50Hz 4kW
Rotation Speed of Motor	1440 r/min	1440 r/min	1440 r/min
Plain Carbon Steel	≤ Φ28mm	≤ Φ40mm	≤ Φ50mm
II-grade Deformed Steel Bar	≤ Φ32mm	≤ Φ32mm	≤ Φ36mm
Working Rotation Speed of Bending	20~30 r/min	20~30 r/min	3~15 r/min
Package Size	800x700x750mm	970x770x860mm	970x830x860mm
N.W/G.W	270kg/300kg	320kg/340kg	390kg/410kg
Code	4.03.04.01.004	4.03.04.01.002	4.03.04.01.003

Steel Bar Cutter



Model	GQ45A	GQ50A
Motor Power	380V 50Hz 3kW	380V 50Hz 4kW
Rotation Speed of Motor	2800r/min	2800r/min
Plain Carbon Steel	≤ Φ40mm	≤ 50mm
II-grade Deformed Steel Bar	≤ Φ32mm	≤ Φ36mm
Working Rotation Speed of Bending	32times/min	28times/min
Packing Size	1430x450x750mm	1700x900x1400mm
N.W/G.W	320kg/345kg	510kg/535kg
Code	4.03.04.03.001	4.03.04.03.002

Floor Grinder



Model	G400
Motor Power	220V 50Hz 3kW or 380V 50Hz 3kW
Motor Speed	1400rpm
Rotor Blade Diameter	400mm
Working Width	45cm
Net Weight	95kg
Package Size	800x650x950mm
Code	4.03.05.02.001



Model	G300	G330
Motor Power	380V 50Hz 4kW/1.1kw	380V 50Hz 4kW/0.75kw
Motor Speed	1500rpm	1500rpm
Rotor Blade Diameter	300mm	300mm
Working Width	33cm	35cm
Net Weight	120kg	140kg
Code	4.03.05.02.002	4.03.05.02.003

Small Slabs Lifting Crane



Model	500	800
Power	220V 50Hz 3kW	220V 50Hz 4kW
Lifting Speed	14m/7m /min	14m/7m /min
Wire Rope Length	30m	30m
Loading	500kg/250kg	800kg/400kg
Code	4.03.06.01.001	4.03.06.01.002

Pallet Lifting Truck



Model	2T	3T
Capacity	2000kg	3000kg
Max. Fork Height	200mm	200mm
Width Overall Forks	550mm	685mm
Material of Pump	Welding	Cast steel
Material of Wheel	PA6	PA6
Code	4.05.01.01.003	4.05.01.01.004

WOOD-WORKING MACHINE

