

HaoSail

HaoSail

Consistent. Dynamic. Reliable.



SINGAPORE LH MACHINERY PTE LTD

5 Kian Teck Drive
Singapore 628822
Tel: (65) 6265 6010
Fax: (65) 6264 3214
Email: machinery@lamhongs.com.sg
www.lamhongs.com.sg

南方機械私人有限公司

DUBAI HAOSAIL GENERAL TRADING CO., L.L.C.

Address: P. O. BOX 25343, Dubai, UAE
Mobile: +971 55 4556817
Email: abdullahran@haosail.com
www.haosailmechanical.com

MAPUTO HAOSAIL MACHINERY COMPANY, LDA

Address: AV. De Mozambique no. 61272 R/C, Zimpeto, Maputo.
Mobile: +258 84 069 6699
Email: sales-mz@haosail.com
www.haosailmachinery.com

2021

CATALOGUE

FOCUS ON GENERAL MACHINERY



Drill Press




Model	RDM1601BN	RDM2001BN
Rated Power	1/2HP 220V 50Hz	1HP 220V 50Hz
Swing	13"	15"
Drilling Capacity	16mm	20mm
No. of Speed	12	12
Speed Range	180-2740rpm	180-2740rpm
Spindle Travel	80mm	80mm
Weight	46kg	52kg
Code	4.02.03.01.001	4.02.03.01.002

Cut-off Saw



Model	J3G-400
Rated Power	3000W 380V 50Hz
Wheel Size	400x3.2x32
Speed	2840rpm
Weight	48kg
Code	4.02.01.02.001



TOOLS



POWER TOOLS



Electric Drill



Model	DL1006
Motor Power	220-240V 50Hz 450W
No-load Speed	0-2800rpm
Dia. of Bit	10/10/25(Steel/Alu/Wood)
Chuck Size	10mm
Pcs/Ctn	10pcs
N.W/G.W	14.8kg/15.8kg
Package Size	262x75x256mm (color box)
Code	3.03.01.01.001

Li-ion Cordless Drill



Model	501S
Battery Pack	12V/1.5AhX2
No-load Speed	0-350/1400rpm
Drill Capacity	steel ϕ 8/wood ϕ 25mm
Max Diameter of Chuck	10mm
Max Torque	35N.m
Pcs/Ctn	10pcs
N.W/G.W	17kg/18kg
Package Size	520x390x250mm (color box)
Code	3.03.04.01.002



Model	504T
Battery Pack	21V/1.5AhX2
Impact Rate	35500bpm
No-load Speed	0-350/1400rpm
Drill Capacity	steel ϕ 10/wood ϕ 30mm
Max Diameter of Chuck	10mm
Max Torque	40N.m
Pcs/Ctn	10pcs
N.W/G.W	22kg/23kg
Package Size	490x320x670mm (BMC)
Code	3.03.04.01.003

Impact Drill



Model	DL1138P	DL1139P
Motor Power	220-240V 50Hz 750W	220-240V 50Hz 850W
No-load Speed	0-2800rpm	0-2800rpm
Impact rating	0-44800bpm	0-44800bpm
Dia. of bit	13/13/25(Steel/Concrete/Wood)	13/16/25(Steel/Concrete/Wood)
Chuck size	13mm	13mm
Pcs/Ctn	8pcs	8pcs
N.W/G.W	16.8kg/17.8kg	15.8kg/16.8kg
Package Size	306x72x238mm (color box)	315x76x265mm (color box)
Code	3.03.03.01.001	3.03.03.01.002

Light Hammer



Model	2001	2602
Motor Power	220-240V 50Hz 650W	220-240V 50Hz 850W
No-load Speed	0-850rpm	0-900rpm
Impact per Minute	0-4000	0-4000
Max. Drilling Diameter	20mm	26mm
	Color Box	BMC
		3 twist drills and 2 point&flat chisel
Code	3.03.03.02.003	3.03.03.02.004

Rotary Hammer



Model	93026	93030
Motor Power	220-240V 50Hz 800W	220-240V 50Hz 1050W
Drill Capacity	ϕ 26	ϕ 30
No-load Speed	650rpm	800rpm
Impact Rate	3200bpm	4100bpm
N.W	5.2kg	5.2kg
Code	3.03.03.02.001	3.03.03.02.002

Demolition Hammer



■ TIN BOX+CTN ■ Point & Flat Chisel

Model	92040	0810
Motor Power	220-240V 50Hz 900W	220-240V 50Hz 1200W
Impact Rate	2900r/min	3800r/min
Package Size	51x25x32/2PCS	
N.W/G.W	13kg/19kg	
Code	3.03.03.03.001	3.03.03.03.002



■ TIN BOX+CTN ■ Point & Flat Chisel

Model	65A	95
Motor Power	220-240V 50Hz 1800W	220-240V 50Hz 3200W
Impact Rate	1400r/min	2800r/min
Package Size	71x17x31cm/1PC	71x17x31cm/1PC
N.W/G.W	13.5kg/20kg	16kg/23kg
Code	3.03.03.03.004	3.03.03.03.003

Heat Gun



Model	DT2000X
Power	220-240V 50Hz 2000W
Air Flow	250-500L/min
Temperature	50-650°C
Pcs/Ctn	12pcs
Net Weight	11kg
Package Size	480x270x540mm
Code	3.03.05.01.002

Cut-off Machine



Model	30355
Motor Power	220-240V 50Hz 2450W
Blade Diameter	355mm
No-load Speed	3900rpm
N.W	15.5kg
Package Size	570x340x440mm
Code	3.03.01.02.001

Mitre Saw



Model	255A
Motor Power	220-240V 50Hz 1800W
No-load Speed	5500rpm
Dia.of Saw Blade	255mm
N.W/G.W	12kg/13.5kg
Package Size	520x480x415mm
Code	3.03.02.06.001

Angle Grinder



Model	1031	1032	1038	81230
Motor Power	220-240V 50Hz 750W	220-240V 50Hz 950W	220-240V 50Hz 1100W	220-240V 50Hz 3080W
Disc Diameter	100mm	115mm	125mm	230mm
No-load Speed	11000rpm	11000rpm	11000rpm	6600rpm
Pcs/Ctn	10pcs	10pcs	6pcs	4pcs
N.W/G.W	22kg/23kg	23kg/24kg	22kg/23kg	21kg/22kg
Package Size	570x340x250mm	570x340x250mm	420x355x260mm	475x380x290mm
Code	3.03.01.04.001	3.03.01.04.002	3.03.01.04.003	3.03.01.04.008

Angle Grinder Stand



Model	BG-125/115
Overall Dimension	240x190x280mm
Code	3.03.01.04.009
	Suitable for angle grinder with disc diameter 115mm or 125mm
	Cast iron base

Drill Stand



Model	BG-6109B
Clamping Range	Φ35-Φ43mm
Code	3.03.01.01.005
	Cast iron base

Marble Cutter



Model	4002
Motor Power	220-240V 50Hz 1230W
Blade Diameter	110mm
No-load Speed	13000rpm
N.W/G.W	3.5kg/3.75kg
Package Size	460x240x370mm
Code	3.03.03.04.001

Electric Hand-Mixer



Model	6113
Motor Power	220-240V 50Hz 800W
No-load Speed	0-550rpm
Stirring Diameter	φ160mm
Rod Length	600mm
N.W/G.W	3.8kg/4.2kg
Package Size	460x240x370mm
Code	3.03.03.05.001

Diamond Drill




Model	DP-255T
Motor Power	220-240V 50Hz 3500W
No-load Speed	650rpm
Drilling Capacity	φ200mm
Pcs/Ctn	1pcs
N.W/G.W	18.4kg/20.93kg
Package Size	865x330x215mm
Code	3.03.03.06.001

AIR TOOLS



Brad Nailer



Model	ST64X
Dimension	90x275x330mm
Weight	3.3kg
Operating Pressure	80-110psi
Max.Pressure	120psi
Load Capacity	70Pcs
Code	3.02.01.01.001




Model	RP9069/F50A
Dimension	55x235x255mm
Weight	1.37kg
Operating Pressure	70-110psi
Max.Pressure	120psi
Load Capacity	100Pcs
Code	3.02.01.01.002



Model	T64RC
Dimension	320x300x80mm
Weight	1.85kg
Operating Pressure	70-110psi
Max.Pressure	120psi
Load Capacity	100Pcs
Code	3.02.01.01.003

2-in-1 Nailer/Stapler



Model	SF5040
Dimension	55x235x255mm
Weight	1.37kg
Operating Pressure	70–110psi
Max. Pressure	120psi
Load Capacity	100Pcs
Code	3.02.01.02.001

Air Impact Wrench



Model	RP17407
Square Drive	1/2"
Working Pressure	90psi
Working Torque	610N.m
Air Inlet (NPT)	1/4"
Air Hose (ID)	3/8"
Capacity Bolt Size	M16
Free Speed	7500rpm
Sug. Air Com. (HP)	3HP
Avg. Air Consumption	142.5L/min
Net Weight	2.1kg
Overall Length	185mm
Code	3.02.02.01.001



Model	RP7465
Square Drive	1"
Working Pressure	90psi
Working Torque	2700N.m
Air Inlet (NPT)	1/2"
Air Hose (ID)	5/8"
Capacity Bolt Size	M45
Free Speed	4000rpm
Sug. Air Com. (HP)	5HP
Avg. Air Consumption	998L/min
Net Weight	15.5kg
Overall Length	584mm
Code	3.02.02.01.002

HAND TOOLS



Screwdriver



Code	Specification	Material
3.01.05.01.001	5x75mm ⊕	S2
3.01.05.01.002	6x100mm ⊕	S2
3.01.05.01.003	6x150mm ⊕	S2



Code	Specification	Material
3.01.05.02.001	5x75mm ⊕	S2
3.01.05.02.002	6x100mm ⊕	S2
3.01.05.02.003	6x150mm ⊕	S2

Double Open Mirror Wrench



Code	Specification	Material
3.01.02.02.001	6–7mm	Cr–V
3.01.02.02.002	8–10mm	Cr–V
3.01.02.02.003	9–11mm	Cr–V
3.01.02.02.004	10–12mm	Cr–V
3.01.02.02.005	12–14mm	Cr–V
3.01.02.02.006	13–15mm	Cr–V
3.01.02.02.007	13–16mm	Cr–V
3.01.02.02.008	14–17mm	Cr–V
3.01.02.02.009	16–18mm	Cr–V
3.01.02.02.010	17–19mm	Cr–V
3.01.02.02.011	18–21mm	Cr–V
3.01.02.02.012	19–22mm	Cr–V
3.01.02.02.013	22–24mm	Cr–V
3.01.02.02.014	24–27mm	Cr–V
3.01.02.02.015	27–30mm	Cr–V
3.01.02.02.016	30–32mm	Cr–V

Full Mirror Polished Combination Wrench



Code	Specification	Material
3.01.02.03.003	6mm	Cr-V
3.01.02.03.004	7mm	Cr-V
3.01.02.03.005	8mm	Cr-V
3.01.02.03.006	9mm	Cr-V
3.01.02.03.007	10mm	Cr-V
3.01.02.03.008	11mm	Cr-V
3.01.02.03.009	12mm	Cr-V
3.01.02.03.010	13mm	Cr-V
3.01.02.03.011	14mm	Cr-V
3.01.02.03.012	15mm	Cr-V
3.01.02.03.013	16mm	Cr-V
3.01.02.03.014	17mm	Cr-V
3.01.02.03.015	18mm	Cr-V
3.01.02.03.016	19mm	Cr-V
3.01.02.03.017	21mm	Cr-V
3.01.02.03.018	22mm	Cr-V
3.01.02.03.019	24mm	Cr-V

Double Ring Mirror Wrench



Code	Specification	Material
3.01.02.04.003	6-7mm	Cr-V
3.01.02.04.004	8-10mm	Cr-V
3.01.02.04.005	9-11mm	Cr-V
3.01.02.04.006	10-12mm	Cr-V
3.01.02.04.007	12-14mm	Cr-V
3.01.02.04.008	13-15mm	Cr-V
3.01.02.04.009	13-16mm	Cr-V
3.01.02.04.010	14-17mm	Cr-V
3.01.02.04.011	16-18mm	Cr-V
3.01.02.04.012	17-19mm	Cr-V
3.01.02.04.013	18-21mm	Cr-V
3.01.02.04.014	19-22mm	Cr-V
3.01.02.04.015	22-24mm	Cr-V
3.01.02.04.016	24-27mm	Cr-V
3.01.02.04.017	27-30mm	Cr-V
3.01.02.04.018	30-32mm	Cr-V

Utility Knife



Code	Model	Specification	Material
3.01.06.08.001	L523	18x0.5mm	Aluminum alloy

Code	Model	Specification	Material
3.01.06.08.002	KB-601	18x0.5mm	TPR

Code	Model	Specification	Material
3.01.06.08.003	KB-601X	18x0.5mm	TPR&Aluminum alloy

Boutique Combination Plier



Code	Specification	Material
3.01.03.01.001	8"/200mm	Cr-V
3.01.03.01.003	6"/150mm	Cr-V
3.01.03.01.004	7"/170mm	Cr-V

Long Nose Plier



Code	Specification	Material
3.01.03.02.002	8"/200mm	Cr-V
3.01.03.02.003	6"/150mm	Cr-V

Diagonal Plier



Code	Specification	Material
3.01.03.03.002	7"/170mm	Cr-V

Tape Measure



Code	Model	Specification	Material
3.01.01.01.001	3G48W	3mx16mm	ABS
3.01.01.01.003	5G48X	5mx25mm	ABS
3.01.01.01.004	7HG48X	7.5mx25mm	ABS

Diamond Cutting Disc



Code	Specification
3.06.03.01.001	Φ105x1.4x20mm
3.06.03.01.002	Φ114x25.4x2.4mm
3.06.03.01.003	Φ114x20x1.8mm
3.06.03.01.004	Φ125x25.4x2.4mm
3.06.03.01.005	Φ180x25.4x2.4mm
3.06.03.01.006	Φ230x25.4x2.4mm
3.06.03.01.007	Φ350x25.4x3.2mm
3.06.03.01.008	Φ450x25.4x3.8mm

Grinding Disc



Code	Specification
3.06.01.03.001	Φ100x6x16mm
3.06.01.03.002	Φ115x6x22.2mm
3.06.01.03.003	Φ125x6x22.2mm
3.06.01.03.004	Φ180x6x22.2mm
3.06.01.03.005	Φ230x6x22.2mm

Cutting Disc



Code	Specification
3.06.01.02.001	Φ100x2.5x16mm
3.06.01.02.002	Φ115x1x22.2mm
3.06.01.02.003	Φ125x1.2x22.2mm
3.06.01.02.004	Φ355x2.5x25.4mm
3.06.01.02.005	Φ400x2.5x32mm
3.06.01.02.006	Φ107x1.2x16mm
3.06.01.02.007	Φ180x1.6x22mm
3.06.01.02.008	Φ230x1.6x22mm

LIFTING AND RIGGING
PRODUCTS